

SAFETY DATA SHEET SOCHLOR **GRANULES 500G** 

MFB253, MFB252

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	SOCHLOR GRANULES 500G
Container size	25kg, 500g
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Disinfectant.
1.3. Details of the supplier of the safety data sheet	
Supplier	GV Health Ltd., Hall House 2 Arlington Court, Whittle Way, Arlington Business Park, Stevenage, Hertfordshire SG1 2FS, United Kingdom Tel: 01920 463 098 Fax: 01920 484 664 support@gvhealth.com
Contact person <u>1.4. Emergency telephone nu</u>	support@gvhealth.com mber
National emergency telephone number	<ul> <li>Country / Phone number &amp; Website: Austria 112 - ; Belgium +32 070 245 245, www.centreantipoisons.be/; Bulgaria +359 2 9154 409, www.pirogov.bg; Croatia +358 1 2348 342, - ; Cyprus 112, - ; Czech Republic (+420) 224 919 293/ 224 915 402 www.tis-cz.cz ; Denmark +45 82 12 12 12, - ; Estonia 166662, +372 626 93 90, - ; Finland 112, - ; France +33 (0)1 45 42 59 59 INRS/ORFILA www.centres-antipoison.net ; Germany 112, - ; Greece 112, - ; Hungary (+36) 14 766 464/ 80 201 199, - ; Iceland 112, - ; Italy 112, - ; Latvia +371 670 424 73, - ; Liechtenstein112, - ; Lithuania (+370) 5 236 20 52/ 6 875 33 78, www.tox.lt/; Luxembourg 112, - ; Malta 112, - ; Netherlands (+31) 030 274 8888, - ; Norway (+42) 2259 1300, - ; Poland 112, - ; Portugal 0808 250 143, - ; Romania 112, - ; Slovakia (+421) 2 54 774 166, - ; Slovenia 112, - ; Spain (+34) 91 562 04 20, - ; Sweden 112, - ; Switzerland 145, - ; United Kingdom 111, - ;</li> </ul>
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	tance or mixture

Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319 STOT SE 3 - H335
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

#### Hazard pictograms



Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	<ul> <li>P261 Avoid breathing dust.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P402+P404 Store in a dry place. Store in a closed container.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Supplemental label information	EUH031 Contact with acids liberates toxic gas.
Contains	TROCLOSENE SODIUM
Supplementary precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 Collect spillage. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

TROCLOSENE SODIUM		30-60%
CAS number: 2893-78-9	EC number: 220-767-7	REACH registration number: 01- 2119489371-33-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Ox. Sol. 2 - H272		
Acute Tox. 4 - H302		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### Inhalation

Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

Ingestion	Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Use foam, carbon dioxide, dry powder or water fog to extinguish.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Chlorine. Hydrogen chloride (HCI). Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Contain and collect extinguishing water.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure suitable respiratory protection is worn during removal of spillages in confined areas. Avoid inhalation of dust and contact with skin and eyes. Wash thoroughly after dealing with a spillage.	
6.2. Environmental precautions		
Environmental precautions	Not considered to be a significant hazard due to the small quantities used. Collect and dispose of spillage as indicated in Section 13.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Avoid generation and spreading of dust. Flush contaminated area with plenty of water.	
6.4. Reference to other sections		
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	

Usage precautions	Avoid spilling. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Good personal hygiene procedures should be implemented. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Container must be kept tightly closed when not in use. Do not eat, drink or smoke when using this product. Protect from freezing and direct sunlight. Read label before use.
	when using this product. Protect from freezing and direct sunlight. Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid breathing dust.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

#### 7.3. Specific end use(s)

#### 8.1. Control parameters

#### Occupational exposure limits

Short-term exposure limit (15-minute): WEL, (as chlorine) 0.5 ppm 1.5 mg/m<sup>3</sup> fume Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 4.0 mg/m<sup>3</sup> respirable dust

WEL = Workplace Exposure Limit.

DNEL	Consumer - Dermal; Long term systemic effects: 1.15 mg/kg/day
	Consumer - Inhalation; Long term systemic effects: 1.99 mg/m <sup>3</sup>
	Consumer - Oral; Long term systemic effects: 1.15 mg/kg/day

#### 8.2. Exposure controls

#### Protective equipment

Appropriate engineering controls	No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Avoid contact with skin. Wear suitable coveralls to prevent exposure to the skin.
Hygiene measures	Warn cleaning personnel of any hazardous properties of the product. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Provide eyewash station. Persons susceptible to allergic reactions should not handle this product. Good personal hygiene procedures should be implemented.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Environmental exposure controls	Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

# SOCHLOR GRANULES 500G

SECTION 9: Physical and chemical properties		
9.1. Information on basic phy	sical and chemical properties	
Appearance	Tablet.	
Colour	White/off-white.	
Odour	Characteristic. Chlorine.	
рН	pH (diluted solution): 4-6 @ 1%	
Flash point	Not applicable.	
Solubility(ies)	Soluble in water.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Other information	Not determined.	
SECTION 10: Stability and re	pactivity	
10.1. Reactivity		
Reactivity	See Section 10.3 (Possibility of hazardous reactions) for further information.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	s reactions	
Possibility of hazardous reactions	Will not polymerise. The following materials may react with the product: Acids. Alkalis. Organic nitro compounds. Amines. Oxidising agents. Reducing agents. Moisture. Peroxides. Contact with acids liberates toxic gas. Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid the following conditions: Water, moisture. Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	Flammable/combustible materials. Moisture. Avoid contact with acids and alkalis. Avoid contact with strong oxidising agents. Avoid contact with strong reducing agents. Hydrocarbons. Inorganic nitrates. Inorganic nitrites. Organic compounds.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Heating may generate the following products: Carbon monoxide (CO). Oxides of nitrogen. Hydrogen chloride (HCI). Isocyanates. Chlorine.	
SECTION 11: Toxicological in	nformation	
11.1. Information on toxicolog	gical effects	
<u>Acute toxicity - oral</u> ATE oral (mg/kg)	2,872.0	
Inhalation	May cause respiratory system irritation.	
Ingestion	May be harmful if swallowed.	
Skin contact	Skin irritation should not occur when used as recommended.	

Eye contact	Irritating to eyes.	
Route of exposure	Inhalation Ingestion. Skin and/or eye contact	
-	· · ·	
SECTION 12: Ecological infor	mauon	
Ecotoxicity	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
12.1. Toxicity		
Acute aquatic toxicity		
Acute toxicity - fish	LC₅₀, 96 hours: 0.24 mg/l, Oncorhynchus mykiss (Rainbow trout)	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: < 1 mg NaDCC mg/l, Daphnia magna	
12.2. Persistence and degrad	ability	
Persistence and degradability	There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product is soluble in water.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not determined.	
SECTION 13: Disposal consid	derations	
13.1. Waste treatment methods		
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport information		
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
Road transport notes	Refer to the Dangerous Goods List for information on any Special Provisions SP 135.	
Sea transport notes	Refer to the Dangerous Goods List for information on any Special Provisions 2.10.2.7.	
Air transport notes	Refer to the Dangerous Goods List for information on any Special Provisions A 197.	
14.1. UN number		
UN No. (ADR/RID)	3077	
UN No. (ADR/RID) UN No. (IMDG)	3077 3077	
UN No. (IMDG)		
	3077	

### 14.2. UN proper shipping name

	_	
Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM)	
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM)	
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM)	
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM)	
14.3. Transport hazard class(es)		
ADR/RID class	9	
ADR/RID classification code	M7	
ADR/RID label	9	
IMDG class	9	
ICAO class/division	9	
ADN class	9	
Transport labels		
14.4. Packing group		

III
III
III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user		
EmS	F-A, S-F	
ADR transport category	3	
Emergency Action Code	2Z	
Hazard Identification Number (ADR/RID)	90	
Tunnel restriction code	(-)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		

SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Commission Regulation (EU) No 453/2010 of 20 May 2010.</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> </ul>
Guidance	Workplace Exposure Limits EH40. Approved Classification and Labelling Guide (Sixth edition) L131. Guidance on the compilation of safety data sheets. Version 3, August 2015

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Revision date	01/10/2019
Revision	2
Supersedes date	01/10/2019
SDS number	20555
Hazard statements in full	<ul> <li>H272 May intensify fire; oxidiser.</li> <li>H302 Harmful if swallowed.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>
Signature	«184»

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.