TEGERA®





TEGERA® 126A

I earn more

SUPERIOR PRECISION FOR TIG WELDING

High quality leather glove with superior comfort, flexibility, and Kevlar seams for extra durability. The glove is an industry benchmark for TIG welding. Long cuff provides extra protection against molten splash. Elasticated wrist for better fit, unlined for extra tactility and precision.

CHARACTERISTICS

- · High level of protection
- Durable
- Extremely good fingertip sensitivity
- Extra flexible
- Perfect fit

FUNCTIONS

- KEVLAR[®] thread in the seams which resists 427° C short-term heat exposure (max operating limit) and 204° C longer-term heat exposure (constant operating limit)
- Withstands contact heat up to 100°C
- Reinforced index finger
- Heat-resistant sewing thread

PREVENTS RISK OF

Burn injuries, heat injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

PRIMARY ENVIRONMENTS OF USE

Warm environments, dirty environments, harsh environments

PRIMARY AREAS OF USE

Assembly, engineering, forest work, foundry, gardening, glass industry work, hot work, installation work, marine work, metalwork, mining, paper industry work, repair work, welding, wood industry work

PRIMARY INDUSTRIES OF USE

Agriculture, mining, oil, gas, petrochemical, pulp and paper, rubber and plastic, glass, bricks, concrete, metal fabrication, machinery and equipment, mro, automotive, transportation, building and construction, logistics, facilities, service, retail

TYPE OF WORK

Light weight

SPECIFICATION

TYPE Heat protection gloves, Welding gloves

CATEGORY Cat. III

PALM MATERIAL Full grain goatskin of top quality

BACK MATERIAL Full grain goatskin of top quality

LINING Unlined

LENGTH 310-350 mm

DEXTERITY 5

COLOUR White, Yellow

PAIRS PER: BUNDLE/CARTON 12/60

DISPLAY TYPE Thread

FASTENING Elasticated 180°

CUFF STYLE Safety cuff

CUFF MATERIAL Leather

OUTER MATERIAL SPECIFICATION Leather

COMPLIANCE

€2777

발 0321

FAI

TP TC 019:2011

EN 407:2004

412X4X

Information/UIS

Type B

EN 12477:2001+A1:2005

EN 388:2016

2111X

EN 420:2003 +A1:2009

EN 1149-2:1997 R:2.55x10⁵Ω

SIZE		ARTICLE NUMBER	EAN
7	S	126A-7	7340118312293
8	М	126A-8	7340118312316
9	L	126A-9	7340118312330
10	XL	126A-10	7340118312255
11	XXL	126A-11	7340118312279



Limavägen 28, SE-793 32 Leksand, Sweden Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com