

**SKYTEC®****TULSA™**

UNSUPPORTED NITRILE GAUNTLET

Chemical resistant gauntlet with a textured pattern on the palm. Flock-lined for extra comfort.

FEATURES

- › Flock-lined for extra comfort and ease of donning
- › Textured palm and fingertips for gripping in wet and dry conditions
- › Resistant to a wide variety of chemicals and solvents
- › EN374 and Category III approved
- › Chlorinated and sanitised to reduce odours
- › Straight cuff
- › Red colouring
- › Length: 330mm

**i-con™**
Glove SystemFor further information please visit www.globus.co.uk/icon

SUITABLE FOR

Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION

EN 388:
2003

4101

EN 374-2:
2003

AJKL

EN 374-1:
2003

AJKL

EN 388:
2016

4101X

EN ISO 374-
5: 2016

AJKLM

EN ISO 374-
1: 2016/
Type A

AJKLM

*See overleaf for explanation*



SUITABLE FOR

MATERIALS	LINER:	Cotton Flock
	COATING:	Nitrile
COLOUR	Red	
LENGTH (mm)	330	
CUFF STYLE	Gauntlet	

ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS	SKY940	10 pairs per bag
7/S	SKY941	
8/M	SKY942	120 pairs per case
9/L	SKY943	
10/XL	SKY944	

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- The gloves can be used in general chemical handling, but are not recommended for prolonged use with highly corrosive or powerful organic solvents. Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

CERTIFICATION LEGENDS




MECHANICAL HAZARDS
EN 388: 2003

PERFORMANCE LEVELS



MECHANICAL HAZARDS
EN 388: 2016

PERFORMANCE LEVELS*



* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



FOOD CONTACT
DIRECTIVE 2002 / 72 EC



MICRO-ORGANISMS
EN 374-2: 2003
EN 374-5: 2016

VIRUS
(If passed)



SPECIFIC CHEMICAL PROTECTION
EN 374-1: 2003
EN ISO 374: 2016/Type A

Chemical List

A Methanol	G Diethylamine	M* 65% Nitric acid
B Acetone	H Tetrahydrofurane	N* 99% Acetic acid
C Acetonitrile	I Ethyl acetate	O* 25% Ammonium hydroxide
D Dichloromethane	J n-Heptane	P* 30% Hydrogen peroxide
E Carbon Disulfide	K Sodium hydroxide 40%	S* 40% Hydrofluoric acid
F Toluene	L Sulphuric acid 96%	T* 37% Formaldehyde

*2016 Additional Chemicals

Type of gloves	Breakthrough time
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963



Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | SKY-DATA-TULSA-0219_1

**SKYTEC®****RIALTO™**

UNSUPPORTED NITRILE GAUNTLET

Chemical resistant gauntlet with a textured pattern on the palm. Flock-lined for extra comfort.

FEATURES

- › Flock-lined for extra comfort and ease of donning
- › Textured palm and fingertips for gripping in wet and dry conditions
- › Resistant to a wide variety of chemicals and solvents
- › EN374 and Category III approved
- › Chlorinated and sanitised to reduce odours
- › Straight cuff
- › Yellow colouring
- › Length: 330mm

**i-con™**
Glove SystemFor further information please visit www.globus.co.uk/icon

SUITABLE FOR

Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION

EN 388:
2003

4101

EN 374-2:
2003EN 374-1:
2003

AJKL

EN 388:
2016

4101X

EN ISO 374-
5: 2016EN ISO 374-
1: 2016/
Type AAJKLM
NOPT*See overleaf for explanation*

**SKYTEC®****RIALTO™****SUITABLE FOR**

MATERIALS	LINER:	Cotton Flock
	COATING:	Nitrile
COLOUR	Yellow	
LENGTH (mm)	330	
CUFF STYLE	Gauntlet	

ORDERING DETAILS


SIZE	CODE	PACKAGING
6/XS	SKY970	10 pairs per bag
7/S	SKY971	
8/M	SKY972	120 pairs per case
9/L	SKY973	
10/XL	SKY974	

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- The gloves can be used in general chemical handling, but are not recommended for prolonged use with highly corrosive or powerful organic solvents. Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

CERTIFICATION LEGENDS

MECHANICAL HAZARDS
EN 388: 2003



MECHANICAL HAZARDS
EN 388: 2016



* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



FOOD CONTACT
DIRECTIVE 2002 / 72 EC



MICRO-ORGANISMS
EN 374-2: 2003
EN 374-5: 2016

VIRUS
(If passed)



SPECIFIC CHEMICAL PROTECTION
EN 374-1: 2003
EN ISO 374: 2016/Type A

Chemical List

A Methanol	G Diethylamine	M* 65% Nitric acid
B Acetone	H Tetrahydrofuran	N* 99% Acetic acid
C Acetonitrile	I Ethyl acetate	O* 25% Ammonium hydroxide
D Dichloromethane	J n-Heptane	P* 30% Hydrogen peroxide
E Carbon Disulfide	K Sodium hydroxide 40%	S* 40% Hydrofluoric acid
F Toluene	L Sulphuric acid 96%	T* 37% Formaldehyde

*2016 Additional Chemicals

Type of gloves	Breakthrough time
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963

Globus
GROUP

Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | SKY-DATA-RIALTO-0219_1

**SKYTEC®****FRISCO™**

UNSUPPORTED NITRILE GAUNTLET

Chemical resistant gauntlet with a textured pattern on the palm. Flock-lined for extra comfort.

FEATURES

- › Flock-lined for extra comfort and ease of donning
- › Textured palm and fingertips for gripping in wet and dry conditions
- › Resistant to a wide variety of chemicals and solvents
- › EN374 and Category III approved
- › Chlorinated and sanitised to reduce odours
- › Straight cuff
- › Blue colouring
- › Length: 330mm

**i-con™**
Glove SystemFor further information please
visit www.globus.co.uk/icon

SUITABLE FOR

Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION

EN 388:
2003

4101

EN 374-2:
2003

AJKL

EN 374-1:
2003

AJKL

EN 388:
2016

4101X

EN ISO 374-
5: 2016

AJKLM

EN ISO 374-
1: 2016/
Type A

NOPT

See overleaf for explanation

**SUITABLE FOR**

MATERIALS	LINER:	Cotton Flock
	COATING:	Nitrile
COLOUR	Blue	
LENGTH (mm)	330	
CUFF STYLE	Gauntlet	

ORDERING DETAILS


SIZE	CODE	PACKAGING
6/XS	SKY950	10 pairs per bag
7/S	SKY951	
8/M	SKY952	120 pairs per case
9/L	SKY953	
10/XL	SKY954	

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- The gloves can be used in general chemical handling, but are not recommended for prolonged use with highly corrosive or powerful organic solvents. Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

CERTIFICATION LEGENDS

MECHANICAL HAZARDS
EN 388: 2003



MECHANICAL HAZARDS
EN 388: 2016



* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



FOOD CONTACT
DIRECTIVE 2002 / 72 EC



MICRO-ORGANISMS
EN 374-2: 2003
EN 374-5: 2016

VIRUS
(If passed)



SPECIFIC CHEMICAL PROTECTION
EN 374-1: 2003
EN ISO 374: 2016/Type A

Chemical List

A Methanol	G Diethylamine	M* 65% Nitric acid
B Acetone	H Tetrahydrofurane	N* 99% Acetic acid
C Acetonitrile	I Ethyl acetate	O* 25% Ammonium hydroxide
D Dichloromethane	J n-Heptane	P* 30% Hydrogen peroxide
E Carbon Disulfide	K Sodium hydroxide 40%	S* 40% Hydrofluoric acid
F Toluene	L Sulphuric acid 96%	T* 37% Formaldehyde

*2016 Additional Chemicals

Type of gloves	Breakthrough time
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk
T: +44 (0)161 877 4747
F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com
T: +971 4 882 9962
F: +971 4 882 9963



Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | SKY-DATA-FRISCO-0219_1

**SKYTEC®****DAKOTA™**

UNSUPPORTED NITRILE GAUNTLET

Chemical resistant gauntlet with a textured pattern on the palm. Flock-lined for extra comfort.

FEATURES

- › Flock-lined for extra comfort and ease of donning
- › Textured palm and fingertips for gripping in wet and dry conditions
- › Resistant to a wide variety of chemicals and solvents
- › EN374 and Category III approved
- › Chlorinated and sanitised to reduce odours
- › Straight cuff
- › Green colouring
- › Length: 330mm

**i-con™**
Glove SystemFor further information please
visit www.globus.co.uk/icon

SUITABLE FOR

Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION

EN 388:
2003

4101

EN 374-2:
2003

AJKL

EN 374-1:
2003

AJKL

EN 388:
2016

4101X

EN ISO 374-
5: 2016

AJKLM

EN ISO 374-
1: 2016/
Type A

NOPT

See overleaf for explanation

**SKYTEC®****DAKOTA™****SUITABLE FOR**

MATERIALS	LINER:	Cotton Flock
	COATING:	Nitrile
COLOUR	Green	
LENGTH (mm)	330	
CUFF STYLE	Gauntlet	

ORDERING DETAILS


SIZE	CODE	PACKAGING
6/XS	SKY960	10 pairs per bag
7/S	SKY961	
8/M	SKY962	120 pairs per case
9/L	SKY963	
10/XL	SKY964	

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- The gloves can be used in general chemical handling, but are not recommended for prolonged use with highly corrosive or powerful organic solvents. Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

CERTIFICATION LEGENDS

MECHANICAL HAZARDS
EN 388: 2003



MECHANICAL HAZARDS
EN 388: 2016



* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



FOOD CONTACT
DIRECTIVE 2002 / 72 EC



MICRO-ORGANISMS
EN 374-2: 2003
EN 374-5: 2016

VIRUS
(If passed)



SPECIFIC CHEMICAL PROTECTION
EN 374-1: 2003
EN ISO 374: 2016/Type A

Chemical List

A Methanol	G Diethylamine	M* 65% Nitric acid
B Acetone	H Tetrahydrofurane	N* 99% Acetic acid
C Acetonitrile	I Ethyl acetate	O* 25% Ammonium hydroxide
D Dichloromethane	J n-Heptane	P* 30% Hydrogen peroxide
E Carbon Disulfide	K Sodium hydroxide 40%	S* 40% Hydrofluoric acid
F Toluene	L Sulphuric acid 96%	T* 37% Formaldehyde

*2016 Additional Chemicals

Type of gloves	Breakthrough time
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk
T: +44 (0)161 877 4747
F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com
T: +971 4 882 9962
F: +971 4 882 9963

Globus
GROUP

Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | SKY-DATA-DAKOTA-0219_1