

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

			Revision: 16.04.2020
SECTION 1: Ic	entification of the subst	tance/mixture and of the company/undertaking]
1.1 Product id	entifier		
Trade name: C	RAFTEX HAND GEL 70%	%	
 1.2 Relevant id Sector of Use 	Cleaning industry	estance or mixture and uses advised against cleaning products (including solvent based produ	cts)
· Application of	the substance / the mixt	<i>ture</i> Alcohol Hand Gel	,
• 1.3 Details of t Manufacturer/ Craftex Cleaning Greenstalls Par Ilchester, Some	g Systems k, Costello Hill	/ data sheet	
	ation obtainable from: P / telephone number: 019	Product safety department. 355 842509	
SECTION 2: H	azards identification		
· 2 1 Classificat	tion of the substance or	mixture	
	according to Regulation		
G⊢	IS02 flame		
Flam. Liq. 2 H	225 Highly flammable liqu	uid and vapour.	
G⊦	IS07		
Eye Irrit. 2 H	319 Causes serious eye i	irritation.	
•	319 Causes serious eye i 336 May cause drowsines		
STOT SE 3 H • 2.2 Label elen • Labelling acc	336 May cause drowsines tents brding to Regulation (EC classified and labelled acc	ss or dizziness.	
STOT SE 3 H 2.2 Label elen Labelling according to the product is Hazard pictog	336 May cause drowsines tents brding to Regulation (EC classified and labelled acc	ss or dizziness. C) No 1272/2008	
STOT SE 3 H 2.2 Label elen Labelling according to the product is Hazard pictog	336 May cause drowsines pents profing to Regulation (EC classified and labelled acc rams Check of the second	ss or dizziness. C) No 1272/2008	
STOT SE 3 H 2.2 Label elen Labelling according The product is Hazard pictog GHS02 Signal word D	336 May cause drowsines pents profing to Regulation (EC classified and labelled acc rams Check of the second	ss or dizziness. <i>C) No 1272/2008</i> cording to the CLP regulation.	
STOT SE 3 H 2.2 Label elen Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol	336 May cause drowsines pents profing to Regulation (EC classified and labelled acc rams Check of the second	ss or dizziness. <i>C) No 1272/2008</i> cording to the CLP regulation.	
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 GHS02 C Signal word D Hazard-determ propan-2-ol Hazard statem	336 May cause drowsines pents prding to Regulation (EC classified and labelled acc rams GHS07 banger nining components of later pents	ss or dizziness. <i>c) No 1272/2008</i> cording to the CLP regulation. <i>belling:</i>	
STOT SE 3 H 2.2 Label elen Labelling acco The product is Hazard pictog GHS02 Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes s	336 May cause drowsines perts profing to Regulation (EC classified and labelled acc rams GHS07 anger nining components of la ments ammable liquid and vapour serious eye irritation.	ss or dizziness. <i>C) No 1272/2008</i> cording to the CLP regulation. <i>belling:</i> r.	
STOT SE 3 H 2.2 Label elen Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes H336 May caus	336 May cause drowsines perts profing to Regulation (EC classified and labelled acc rams GHS07 canger mining components of later ments mmable liquid and vapout serious eye irritation. Se drowsiness or dizziness	ss or dizziness. <i>C) No 1272/2008</i> cording to the CLP regulation. <i>belling:</i> r.	
STOT SE 3 H 2.2 Label elen Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes 3 H336 May caus	336 May cause drowsines pents profing to Regulation (EC classified and labelled acc rams GHS07 anger mining components of la ments semable liquid and vapour serious eye irritation. se drowsiness or dizziness statements	ss or dizziness. C) No 1272/2008 cording to the CLP regulation. abelling: r. s.	
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes S H336 May caus Precautionary P101 P102	336 May cause drowsines pents profing to Regulation (EC classified and labelled acc rams GHS07 anger mining components of la ments semable liquid and vapour serious eye irritation. se drowsiness or dizziness statements	ss or dizziness. C) No 1272/2008 cording to the CLP regulation. Ibelling: r. s. eeded, have product container or label at hand.	
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes S H336 May caus Precautionary P101 P102 P103	336 May cause drowsines pents ording to Regulation (EC classified and labelled acc rams GHS07 banger nining components of lat ments mmable liquid and vapour serious eye irritation. se drowsiness or dizziness statements If medical advice is ne Keep out of reach of of Read label before use	ss or dizziness. c) No 1272/2008 cording to the CLP regulation. belling: r. s. eeded, have product container or label at hand. children. e.	
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard detern propan-2-ol Hazard staten H225 Highly fla H319 Causes S H336 May caus Precautionary P101 P102 P103 P210	336 May cause drowsines pents ording to Regulation (EC classified and labelled acc rams GHS07 banger nining components of lat ments mmable liquid and vapour serious eye irritation. se drowsiness or dizziness of tatements If medical advice is ne Keep out of reach of of Read label before use Keep away from heat,	ss or dizziness. c) No 1272/2008 cording to the CLP regulation. belling: r. s. eeded, have product container or label at hand. children. s. t, hot surfaces, sparks, open flames and other ign	ition sources. No smoking.
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes s H336 May caus Precautionary P101 P102 P103 P210 P241	336 May cause drowsines pents ording to Regulation (EC classified and labelled acc rams GHS07 banger nining components of lat ments ammable liquid and vapour serious eye irritation. se drowsiness or dizziness statements If medical advice is ne Keep out of reach of of Read label before use Keep away from heat, Use explosion-proof [6]	ss or dizziness. C) No 1272/2008 cording to the CLP regulation. Ibelling: r. s. eeded, have product container or label at hand. children. e. , hot surfaces, sparks, open flames and other ign electrical/ventilating/lighting] equipment. autiously with water for several minutes. Remove	-
STOT SE 3 H 2.2 Label elem Labelling acco The product is Hazard pictog GHS02 G Signal word D Hazard-detern propan-2-ol Hazard staten H225 Highly fla H319 Causes s H336 May caus Precautionary P101 P102 P103 P210 P241	 336 May cause drowsines and the second s	ss or dizziness. C) No 1272/2008 cording to the CLP regulation. Ibelling: r. s. eeded, have product container or label at hand. children. e. , hot surfaces, sparks, open flames and other ign electrical/ventilating/lighting] equipment. autiously with water for several minutes. Remove	contact lenses, if present and easy

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

(Contd. of page 1)

50-100%

Trade name: CRAFTEX HAND GEL 70%

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-63-0 propan-2-ol 🚸 Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336 EINECS: 200-661-7

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.2 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.3 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 3)

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

(Contd. of page 2)

Trade name: CRAFTEX HAND GEL 70%

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
 General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

Respiratory protection:

In case of intensive or longer exposure use self-contained respiratory protective device.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- **General Information**

Appearance: Form:

Gel

(Contd. on page 4)

GB

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: CRAFTEX HAND GEL 70%

	(Contd. of page 3
Colour:	Clear
· Odour: · Odour threshold:	Alcohol-like Not determined.
· pH-value at 20 °C:	7
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. # 82 °C
· Flash point:	13 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits: Lower: Upper:	2 Vol % 12 Vol %
· Vapour pressure at 20 °C:	43 hPa
· Density at 20 °C: · Relative density · Vapour density · Evaporation rate	0.84453 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: Water: 	70.0 % 29.2 %
Solids content: • 9.2 Other information	0.8 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects
 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol Oral LD50

5,045 mg/kg (rat) Dermal LD50 12,800 mg/kg (rabbit)

> (Contd. on page 5) ĠВ

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

(Contd. of page 4)

ĠВ

Trade name: CRAFTEX HAND GEL 70%

Inhalative LC50/4 h 30 mg/l (rat)

LC50/96 h 9,640-10,400 mg/l (fish)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- 67-63-0 propan-2-ol
- EC50/48 h 2,285-13,299 mg/l (daphnia)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1219
 14.2 UN proper shipping name ADR IMDG, IATA 	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) mixture ISOPROPANOL (ISOPROPYL ALCOHOL) mixture
	(Contd. on page 6)

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: CRAFTEX HAND GEL 70%

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number: Stowage Category	F-E,S-D B
14.7 Transport in bulk according to Annex II of Ma	arpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) MIXTURE,

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

· Department issuing SDS: Product safety department.

(Contd. on page 7)

GB

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: CRAFTEX HAND GEL 70%

 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 6)

GB