



ECO PAPER - KRAFT SA

DESCRIPTION	Self adhesive tape with brown paper backing
BACKING	56 g/m ² ± 5 % impregnated semi-crepe paper
ADHESIVE DESCRIPTION	Special rubber, antiox, plasticizers
TOTAL THICKNESS	115 my + 5%
ADHESION TO STEEL	3,5 N/cm + 10%
TENSILE STREIGHTH	32 N/cm ± 10%
ELONGATION	9 N/cm ± 10%
TEMPERATURE RESISTANCE	60°
COLORS AVAILABLE	Brown

Application

Adhesive tape made of brown paper that is no chlorinated nor bleached.
High adhesion, suitable for light packaging.
Available for print with water-based inks

Features and benefits

Adhesive based on special adhesive

- Good adhesion on irregular surface.
- Performing even at low temperatures.





Impregnated semi-crepe paper

- Maximum conformability.
- Resistant to accidental knocks;
- Allows the recognition of any alterations;
- Can be torn by hand.

This information is gained from sample tests conducted on a material similar to that produced and purchased within the six months preceding the date of order's completion. These data therefore indicate a reference average value to the specifications established by Autoadesivi Magri.

Appearance and technical features are subject to variations over time caused by ageing, anyway they do not affect the product's quality and functionality.

Packaging characteristics

Flat packs of 6 shrunk rolls	
Stack packaging starting from 2 shrunk rolls	
Single roll for exposure wrapped with plastic film	
Boxes and internal cores can be: <ul style="list-style-type: none"> - neutral; - personalized on customer request; - personalized Magri. 	

Labelling

1-color label, 100 mm x 110 mm on each box (standard)	
Four-colors label on each box	
Lateral label on stack rolls	
Label on each pack of 6 rolls	
Top / lateral label on each single roll	
Personalized label on each pallet	





Packaging specifications

Width mm	Roll - length m												Number of roll per box (in standard packaging)		
	50	66	100	132	330	660	990	1000	1056 (**)	1320 (**)	1500	2000	Up to m 132	m 330	m 660/990/1000 1500/2000
9 (*)	•	•	•	•									192	–	–
12	•	•	•	•	•								144	48	–
15	•	•	•	•	•								120	40	–
19	•	•	•	•	•								96	32	–
25	•	•	•	•	•	•							72	24	12
30	•	•	•	•	•	•							60	20	10
38	•	•	•	•	•	•	•				•	•	48	16	8
48	•	•	•	•			•					•	36	–	–
50	•	•	•	•	•	•	•				•	•	36	12	6
60	•	•	•	•	•	•	•				•	•	30	10	5
75	•	•	•	•	•	•	•	•			•	•	24	8	4
96		•	•	•			•					•	18	6	3
100		•	•	•	•	•	•	•				•	18	6	3
144		•	•	•			•	•					12	4	2
150		•	•	•	•	•	•	•			•	•	12	4	2
200 (**)															
300						•	•	•			•	•	–	–	1

(*) Polypropylene tape in 9 mm width is not produced.

(**) On request.

Structure of the pallet

Roll - Length m 50 / 66 / 330	Roll - Length m 100 / 132
N. boxes per pallet (standard packaging) 60 / 66 / 72 / 84 / 90	N. boxes per pallet (standard packaging) 54 / 60
EUROPALLET cm 80 X120 / 100 X 120 - H cm 200	EUROPALLET cm 80 X120 / 100 X 120 - H cm 200
	
Roll - Length m 660	Roll - Length m 990 / 1000
N. boxes per pallet 48	N. boxes per pallet 48
EUROPALLET cm 90 X120 - High cm 140	EUROPALLET cm 90 X120 - High cm 140
	



Autoadesivi Magri srl
Via Quattro Vie, 7
40050 Castello d'Argile BO Italia

Tel. +39 051 6867052
Tel. +39 051 6867060
Fax +39 051 6867032

mail@autoadesivimagri.com
www.autoadesivimagri.com